

L Number	Hits	Search Text	DB	Time stamp
1	518	"X.500"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:56
2	148	"X.500" AND object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
3	312	SQL! SAME object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:57
4	59	(SQL! SAME object-oriented!) AND directory!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
5	1	((SQL! SAME object-oriented!) AND directory!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:59
6	1604	SQL! AND object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:57
7	64	(SQL! AND object-oriented!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
8	619	(SQL! AND object-oriented!) AND directory!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
9	6	((SQL! AND object-oriented!) AND directory!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
10	19373	object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:59
11	33	((object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))) SAME interface! SAME (relational! OR sql! OR rdbms!)) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 18:00

L Number	Hits	Search Text	DB	Time stamp
1	85	harvey-richard\$.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:29
2	0	harvey-richard\$.IN. AND protocol-encoded!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:29
3	1	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:31
4	7	harvey-richard\$.IN. AND protocol\$2 AND encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:31
5	5	harvey-richard\$.IN. AND protocol\$2 AND encod\$4 AND raw!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:32
6	0	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4 SAME raw!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:33
7	1	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:33
8	5	harvey-richard\$.IN. AND (raw! SAME normal\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:34
9	5	harvey-richard\$.IN. AND (raw! SAME normal\$5) AND syntax\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:34
10	5	harvey-richard\$.IN. AND (raw! SAME normal\$5) AND (normal\$5 SAME syntax\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:35
11	518	x.500!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:35
12	32	x.500! SAME relational!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:37
13	137	x.500! AND relational!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:38
14	1419	LDAP! OR "lightweight data access protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:39

15	1705	x.500! OR (LDAP! OR "lightweight data access protocol")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:39
16	290	((x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases"))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:42
17	6	((x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases")) NOT @AD>19960306	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:53
18	295	(x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases" OR quer\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:52
19	5	((x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases" OR quer\$4)) NOT ((x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases"))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:52
20	136	(x.500! OR (LDAP! OR "lightweight data access protocol")) NEAR5 quer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:53
21	4	((x.500! OR (LDAP! OR "lightweight data access protocol")) NEAR5 quer\$5) NOT @AD>19960306	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:56
22	33	(x.500! OR (LDAP! OR "lightweight data access protocol")) AND (707/\$.ccls. OR 709/\$.ccls.) NOT @AD>19960306	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:55
23	2	object-relational! AND "directory service"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:57
24	47	object-relational! AND directory!	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:56
25	0	(object-relational! AND directory!) NOT @AD>19960306	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:58
26	13998	"object-oriented" OR "object class"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:57
27	14096	object-relational! OR ("object-oriented" OR "object class")	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:57

28	100	(object-relational! OR ("object-oriented" OR "object class")) SAME (directory! NEAR2 (service\$2 OR quer\$4 OR assistan\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:58
29	32	((object-relational! OR ("object-oriented" OR "object class")) SAME (directory! NEAR2 (service\$2 OR quer\$4 OR assistan\$4))) NOT @AD>19960306	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:58

L Number	Hits	Search Text	DB	Time stamp
1	85	harvey-richard\$.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:29
2	0	harvey-richard\$.IN. AND protocol-encoded!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:29
3	1	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:31
4	7	harvey-richard\$.IN. AND protocol\$2 AND encod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:31
5	5	harvey-richard\$.IN. AND protocol\$2 AND encod\$4 AND raw!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:32
6	0	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4 SAME raw!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:33
7	1	harvey-richard\$.IN. AND (protocol\$2 SAME encod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:33
8	5	harvey-richard\$.IN. AND (raw! SAME normal\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:34
9	5	harvey-richard\$.IN. AND (raw! SAME normal\$5) AND syntax\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:34
10	5	harvey-richard\$.IN. AND (raw! SAME normal\$5) AND (normal\$5 SAME syntax\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:35
11	518	x.500!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:35
12	32	x.500! SAME relational!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:37
13	137	x.500! AND relational!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:38
14	1419	LDAP! OR "lightweight data access protocol"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:39

15	1705	x.500! OR (LDAP! OR "lightweight data access protocol")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 10:39
16	290	(x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 10:40
17	6	((x.500! OR (LDAP! OR "lightweight data access protocol")) SAME (sql! OR relational!) SAME (database\$2 OR "data base" OR table! OR tables! OR "data bases")) NOT @AD>19960306	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/05 10:40

L Number	Hits	Search Text	DB	Time stamp
1	518	"X.500"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:56
2	148	"X.500" AND object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
3	312	SQL! SAME object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:57
4	59	(SQL! SAME object-oriented!) AND directory!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
5	1	((SQL! SAME object-oriented!) AND directory!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:59
6	1604	SQL! AND object-oriented!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:57
7	64	(SQL! AND object-oriented!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
8	619	(SQL! AND object-oriented!) AND directory!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
9	6	((SQL! AND object-oriented!) AND directory!) NOT @Ad>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:58
10	19373	object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 17:59
11	33	((object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))) SAME interface! SAME (relational! OR sql! OR rdbms!)) NOT @AD>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 18:03
12	13	((object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))) SAME (relational! OR sql! OR rdbms!)) AND protocol\$2 NOT @AD>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 18:04
13	4	(object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))) AND (relational! OR sql! OR rdbms!) AND ("yellow pages" OR "white pages" OR "directory service" OR "directory assistant") NOT @AD>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 18:07

14	1	(object-oriented! OR object-relational! OR (object\$2 NEAR2 (class! OR classes!))) AND ((relational! OR sql! OR rdbms! OR quire\$4) SAME ("yellow pages" OR "white pages" OR "directory service" OR "directory assistant")) NOT @AD>19931230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 18:08
----	---	---	---	------------------